


## **NOTES**:

1. FOR USE WITH DOT 3, 4 OR 5 BRAKE FLUID ONLY.

- 2. DIMENSIONS MAY VARY BETWEEN UNITS AND ARE FOR REFERENCE PURPOSES ONLY. MILLIMETER VALUES MAY NOT BE AN EXACT CONVERSION OF INCH VALUES.
- 3. REPAIR KIT P/N 12-400-007.
- 4. ACTUATOR ASSEMBLY P/N 12-460-187.
- 5. SURFACE FINISH: STEEL COMPONENTS ZINC PLATED PER ASTM B633 ALUMINUM COMPONENTS ARE UNPLATED.

## PERFORMANCE CHARACTERISTICS:

- 2. BORE SIZE: Ø1.25 IN
- 3. MAXIMUM OPERATING PRESSURE 425 PSI AT 85 LB PEDAL EFFORT.
- 4. PEDAL EFFORT NOT TO EXCEED 85 LB AT TOP OF PEDAL.



INCH [MILLIMETER]



COMPONENT AND SYSTEM RECOMMENDATIONS MADE BY MICO, INC ARE BASED ON INFORMATION SUPPLIED BY POTENTIAL USER AND/OR SYSTEM DESIGNER. THE POTENTIAL USER AND/OR DESIGNER MUST MAKE FINAL ACCEPTANCE AND APPROVAL OF AND MAY NOT BE REPRODUCED OR DISCLOSED COMPONENTS AND SYSTEM AFTER TESTING PERFORMANCE ON | WITHOUT WRITTEN PERMISSION FROM MICO, INC. AN ACTUAL APPLICATION FOR WHICH SYSTEM WAS DESIGNED.

MICO, INC CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL DISCLOSED IN THIS DOCUMENT. THIS DOCUMENT IS PROVIDED IN CONFIDENCE COPYRIGHT MICO, INC. ALL RIGHTS RESERVED.

| NOTTH Mainkato, Milliosota ook |                                   |      |                             |     |
|--------------------------------|-----------------------------------|------|-----------------------------|-----|
| SCALE<br>0.500                 | TITLE PEDAL ACTUATOR              |      |                             |     |
| DWN ETM<br>2016-01-21          | APVD PROD ENGRG<br>PJS 2016-03-14 | SIZE | DRAWING NUMBER              | REV |
| X NO                           | APVD ENGRG<br>BSW 2016-02-19      | В    | 12-460-185<br>customer copy | 2 2 |