

NOTES:

1) FOR USE WITH DOT 3, 4 OR 5 BRAKE FLUID ONLY.
2) DIMENSIONS WILL VARY BETWEEN UNITS AND ARE FOR REFERENCE PURPOSES ONLY.
MILLIMETER VALUES MAY NOT BE AN EXACT CONVERSION OF INCH VALUES.

PERFORMANCE CHARACTERISTICS:

1) PRESSURE SETTING TO BE AS FOLLOWS:


- CONTACTS OPEN BY 750 PSI MAX. INCREASING. CONTACTS CLOSE BY 550 PSI MIN. DECREASING.
- 2) WEATHER RESISTANT ADJUSTABLE PRESSURE SWITCH:
 - PROOF PRESSURE: 15,000 PSI.
 - LEAD WIRE LENGTH: 16" APPROXIMATE. WIRE CODE: BLACK COMMON

WHITE OR GREEN - NORMALLY OPEN

3) SWITCH SPECIFICATIONS:

- SINGLE POLE DOUBLE THROW.

	RATED											
12	2 VDC		30) VDC		12	25	VAC	25	50	VAC	
3	AMPS	INDUCTIVE	3	AMPS	INDUCTIVE	5	Α	MPS	5	1A	1PS	
5	AMPS	RESISTIVE	5	AMPS	RESISTIVE							



INCH [MILLIMETER]

COMPONENT AND SYSTEM RECOMMENDATIONS MADE BY MICO, INC. ARE BASED ON INFORMATION SUPPLIED BY POTENTIAL USER AND/OR SYSTEM DESIGNER. THE POTENTIAL USER AND/OR DESIGNER MUST MAKE FINAL ACCEPTANCE AND APPROVAL OF COMPONENTS AND SYSTEM AFTER TESTING PERFORMANCE ON AN ACTUAL APPLICATION FOR WHICH SYSTEM WAS DESIGNED

MICO, INC. CLAIMS PROPRIETARY RIGHTS TO THE MATERIAL DISCLOSED IN THIS DOCUMENT THIS DOCUMENT IS PROVIDED IN CONFIDENCE AND MAY NOT BE REPRODUCED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICO, INC COPYRIGHT MICO, INC. ALL RIGHTS RESERVED



DRAWING NUMBER

ECN

SCALE	TITLE								
1.000	PRESSURE SWITCH								
DMM Hrr	APVD PROD ENGRG	SIZE	DRAWING NUMBER	REV					
2017-10-12	DPD 2018-05-14		20 500 0/7						
X NO	APVD ENGRG	А	20-580-047	М					
	BSW 2017-10-23		CUSTOMER COPY	1 1					